

Carbontex Washer Sizes

Please check the price page first to see if your reel is listed there, or send us an email with your reel model to see if we have the proper set already sorted out. If not then you can try to find the washers that match your reel using these measurements.

Washer Number	Outside Diameter		Inside Diameter		Thickness	
	Millimete	Inches	Millimete	Inches	Millimeter	Inches
1	16	0.613	8.25	0.325	.5, .76 1	.020, .030 .040
2	16.8	0.66	4.3	0.169	1	0.04
3	16.95	0.666	5.95	0.235	1	0.04
4	17.15	0.675	9.35	0.368	0.5	0.025
5	17.8	0.7	10.35	0.407	0.76	0.03
6	18.25	0.72	8.35	0.33	1	0.04
7	18.75	0.735	10.9	0.43	1	0.04
8	19.5	0.765	4.2	0.165	1	0.04
9	20.5	0.805	10.85	0.43	0.76	0.03
10	20.5	0.81	8.1	0.32	0.5	0.02
11	20.65	0.81	8.9	0.35	1	0.04
12	20.7	0.815	13.15	0.518	0.76	0.03
13	21.28	0.84	5.18	0.205	1	0.04
14	21.5	0.85	8.1	0.32	.76 or 1	.030 or .040
15	21.6	0.85	10.6	0.415	0.76	0.03
16	22.6	0.89	12.7	0.5	1	0.04
17	22.95	0.905	8.3	0.325	1	0.04
18	22.98	0.095	8.15	0.32	.5 or .76	.020 or .030
19	23.9	0.94	11.3	0.445	1	0.04
20	24.15	0.95	14.5	0.572	1	0.04
21	24.55	0.965	10.6	0.415	.5 or .76	.020 or .030
22	24.6	0.97	14.5	0.57	0.76	0.03
23	24.63	0.969	5	0.198	1	0.04
24	24.65	0.97	19.3	0.76	0.76	0.03

25	25.3	0.995	17.05	0.675	1	0.04		
26	25.4	1	8.4	0.33	.76 or 1	.030 or .040		
27	25.5	1	8.65	0.34	0.5	0.02		
28	25.8	1.015	18.7	0.735	1	0.04		
29	25.8	1.015	10.75	0.425	2	0.08		
30	25.95	1.02	19.25	0.76	1	0.04		
31	26	1.022	12	0.475	0.76	0.03		
32	26.45	1.044	8.35	0.329	1	0.04		
33	26.5	1.045	13	0.515	0.76	0.03		
34	26.55	1.045	15.65	0.615	0.76	0.03		
35	26.75	1.05	17	0.67	1	0.04		
36	26.8	1.055	12.75	0.5	0.5	0.02		
37	26.8	1.055	9.6	0.375	0.5	0.02		
38	26.85	1.055	12.65	0.5	1	0.04		
39	27.05	1.065	8.3	0.325	.5 or 1	.020 or .040		
40	27.1	1.066	13.85	0.545	1 or 1.20	.040 or .047		
41	27.95	1.1	15.65	0.615	0.76	0.03		
42	28	1.1	10.9	0.43	0.76	0.03		
43	28.35	1.115	18.9	0.745	1	0.04		
44	28.6	1.125	10.9	0.429	0.76	.030 or .040		
45	28.65	1.13	21.05	0.83	1	0.04		
46	29	1.14	8.6	0.34	0.76	0.03		
47	30.95	1.22	21.6	0.85	0.76	0.03		
48	31	1.22	8.9	0.35	1	0.04		
49	31.15	1.225	17	0.668	1	0.04		
50	32.35	1.275	8.25	0.325	.76 or .65	.030 or .025		
51	32.5	1.28	24.55	0.965	1	0.04		
52	32.65	1.285	17.1	0.673	0.76	0.03		
53	33.5	1.32	18.05	0.71	1	0.04		
54	33.8	1.33	9.5	0.373	1	0.04		
55	34.65	1.365	19.45	0.765	0.76	0.03		
56	34.92	1.376	20.26	0.807	0.96	0.037		
57	35.07	1.376	15.5	0.611	1	0.04		
58	35.5	1.4	25.75	1.105	1	0.04		

59	35.6	1.4	8.7	0.34	0.5	0.02		
60	38.15	1.5	14	0.55	1	0.04		
61	38.5	1.515	24.1	0.948	1	0.04		
62	40.45	1.59	21.05	0.83	0.76	0.03		
63	40.45	1.59	13	0.51	0.76	0.03		
64	41.05	1.62	16.35	0.645	0.76	0.03		
65	41.05	1.62	12.55	0.495	0.76	0.03		
66	41.05	1.62	10.1	0.4	0.76	0.03		
67	43	1.695	16.25	0.64	0.76	0.03		
68	43	1.695	12.15	0.48	0.76	0.03		
69	43	1.695	10.35	0.405	0.76	0.03		
70	49.15	1.935	20.35	0.8	1.16	0.045		
71	55	2.165	20.05	0.79	1.16	0.045		